

**EFFEBI** SRL di F. Beretta  
*fabbrica d'armi - diabolos - accessori*  
*firearms - pellets - accessories*  
 Via Borsellino, 43 - 25062 Concesio - ITALY  
 Ph. +39 030 2751955 - Fax +39 030 2180414



R. E. A. 347328  
 Mecc. Export BS 048139  
 Capitale Sociale E 10.400 i.v.  
 R. I., C. F. e P. IVA 03243690173  
[www. effebisrl.eu](http://www. effebisrl.eu) - [export@ effebisrl.eu](mailto: export@ effebisrl.eu)

## Stocks and Forends 2018

STOCKS FOR AUTO AND O/U		Code
TYPE BENELLI 121 SL 80 C.12	RIGHT LONG HOLE 245 mm	CABEN121FL12DX
TYPE BENELLI 123 C.12	RIGHT FORO SHORT 195 mm	CABEN123FC12DX
TYPE BENELLI 201 SL 80 C.20	RIGHT LONG HOLE 245 mm	CABEN201FL20DX
TYPE BENELLI 121 SL 80 C.12	LEFT LONG HOLE 245 mm	CABEN121FL12SX
TYPE BENELLI 201 SL 80 C.20	LEFT LONG HOLE 245 mm	CABEN201FL20SX
TYPE BENELLI 121 SL 80 TRAP	RIGHT LONG HOLE 245 mm	CABEN121TR12DX
TYPE BENELLI S90 C.12	RIGHT	CABENS9012DX
TYPE BENELLI S90 C.20	RIGHT	CABENS9020DX
TYPE BENELLI S90 C.12	LEFT	CABENS9012SX
TYPE BENELLI S90 C.20	LEFT	CABENS9020SX
TYPE BENELLI S90 TRAP C.12	RIGHT	CABENS90TR12DX
TYPE BENELLI CENTRO C.12	RIGHT HOLE 273 mm	CABENCEN12DX
TYPE BENELLI CENTRO C.12	LEFT HOLE 273 mm	CABENCEN12SX
TYPE BENELLI CRIO C.12	RIGHT	CABENCRIO12DX
TYPE BENELLI CRIO C.12	LEFT	CABENCRIO12SX
TYPE BERETTA S 55-S 56 C.12	RIGHT FOR RECEIVER WITH HELICAL HAMMER SPRING	CABERS5512DX
TYPE BERETTA S 55-S 56 C.12	LEFT FOR RECEIVER WITH HELICAL HAMMER SPRING	CABERS5512SX
TYPE BERETTA S 55-S 56 C.20	RIGHT DROP 55 mm	CABERS5520DX
TYPE BERETTA S 55-S 56 C.20	LEFT DROP 55 mm	CABERS5520SX
TYPE BERETTA 682 TRAP C.12	RIGHT RECEIVER 42 mm DROP 40 mm	CABER682TR12DX
TYPE BERETTA 682 TRAP C.12	LEFT RECEIVER 42 mm DROP 40 mm	CABER682TR12SX
TYPE BERETTA 682 SPORTING C.12	RIGHT RECEIVER 42 mm DROP 55 mm	CABER682SP12DX55
TYPE BERETTA 682 SPORTING C.12	LEFT RECEIVER 42 mm DROP 55 mm	CABER682SP12SX55
TYPE BERETTA 682 SPORTING C.12	RIGHT RECEIVER 42 mm DROP 60 mm	CABER682SP12DX60
TYPE BERETTA 682 SPORTING C.12	LEFT RECEIVER 42 mm DROP 60 mm	CABER682SP12SX60
TYPE BERETTA 686 C.12	RIGHT RECEIVER 40 mm DROP 55 mm	CABER68612DXB40
TYPE BERETTA 686 C.12	LEFT RECEIVER 40 mm DROP 55 mm	CABER68612SXB40
TYPE BERETTA 686 C.12	RIGHT RECEIVER 42 mm DROP 55 mm	CABER68612DXB42
TYPE BERETTA 686 C.12	LEFT RECEIVER 42 mm DROP 55 mm	CABER68612SXB42
TYPE BERETTA 687 C.12	RIGHT RECEIVER 40 mm DROP 55 mm	CABER68712DXB40
TYPE BERETTA 687 C.12	LEFT RECEIVER 40 mm DROP 55 mm	CABER68712SXB40
TYPE BERETTA 687 C.12	RIGHT RECEIVER 42 mm DROP 55 mm	CABER68712DXB42
TYPE BERETTA 687 C.12	LEFT RECEIVER 42 mm DROP 55 mm	CABER68712SXB42
TYPE BERETTA 686 C.20	RIGHT DROP 55 mm	CABER68620DX
TYPE BERETTA 687 C.20	RIGHT DROP 55 mm	CABER68720DX
TYPE BERETTA 686 C.20	LEFT DROP 55 mm	CABER68620SX
TYPE BERETTA 687 C.20	LEFT DROP 55 mm	CABER68720SX
TYPE BERETTA 300 C.12	RIGHT	CABER30012DX
TYPE BERETTA 301 C.12	RIGHT	CABER30112DX
TYPE BERETTA 302 C.12	RIGHT	CABER30212DX
TYPE BERETTA 303 C.12	RIGHT	CABER30312DX
TYPE BERETTA 300 C.20	RIGHT	CABER30020DX
TYPE BERETTA 301 C.20	RIGHT	CABER30120DX
TYPE BERETTA 302 C.20	RIGHT	CABER30220DX
TYPE BERETTA 303 C.20	RIGHT	CABER30320DX
TYPE BERETTA 300 C.12	LEFT	CABER30012SX
TYPE BERETTA 301 C.12	LEFT	CABER30112SX
TYPE BERETTA 302 C.12	LEFT	CABER30212SX
TYPE BERETTA 303 C.12	LEFT	CABER30312SX
TYPE BERETTA 300 C.20	LEFT	CABER30020SX

TYPE BERETTA 301 C.20	LEFT	CABER30120SX
TYPE BERETTA 302 C.20	LEFT	CABER30220SX
TYPE BERETTA 303 C.20	LEFT	CABER30320SX
TYPE BERETTA 304 C.12	RIGHT	CABER30412DX
TYPE BERETTA 390 C.12	RIGHT	CABER39012DX
TYPE BERETTA 391 URIKA C.12	RIGHT	CABER39112DX
TYPE BERETTA TRAP 300 C.12	RIGHT	CABER300TR12DX
TYPE BERETTA TRAP 301 C.12	RIGHT	CABER301TR12DX
TYPE BERETTA TRAP 302 C.12	RIGHT	CABER302TR12DX
TYPE BERETTA TRAP 303 C.12	RIGHT	CABER303TR12DX
TYPE BERETTA TRAP 390 C.12	RIGHT	CABER390TR12DX
TYPE BERETTA TRAP 391 C.12	RIGHT	CABER391TR12DX
TYPE BRED A ARGUS-ANTARES C.12	RIGHT DROP 50 mm HOLE 210 mm	CABREARG12DX50
TYPE BRED A ARGUS-ANTARES C.12	RIGHT DROP 55 mm HOLE 210 mm	CABREARG12DX55
TYPE BRED A ARGUS-ANTARES C.12	RIGHT DROP 60 mm HOLE 210 mm	CABREARG12DX60
TYPE BRED A ARGUS-ANTARES C.20	RIGHT DROP 50 mm HOLE 210 mm	CABREARG20DX50
TYPE BRED A ARGUS-ANTARES C.20	RIGHT DROP 55 mm HOLE 210 mm	CABREARG20DX55
TYPE BRED A ARGUS-ANTARES C.20	RIGHT DROP 60 mm HOLE 210 mm	CABREARG20DX60
TYPE BRED A ARGUS-ANTARES C.12	LEFT DROP 50 mm HOLE 210 mm	CABREARG12SX50
TYPE BRED A ARGUS-ANTARES C.12	LEFT DROP 55 mm HOLE 210 mm	CABREARG12SX55
TYPE BRED A ARGUS-ANTARES C.12	LEFT DROP 60 mm HOLE 210 mm	CABREARG12SX60
TYPE BRED A ASTRO C.12	RIGHT TYPE BENELLI S90	CABREAST12DX
TYPE BRED A ASTRO C.12	LEFT TYPE BENELLI S90	CABREAST12SX
TYPE BRED A ASTRO C.20	RIGHT TYPE BENELLI S90	CABREAST20DX
TYPE BRED A ASTRO C.20	LEFT TYPE BENELLI S90	CABREAST20SX
TYPE BRED A ALTAIR C.12	RIGHT TYPE BERETTA 302	CABREALT12DX
TYPE BRED A ALTAIR C.12	LEFT TYPE BERETTA 302	CABREALT12SX
TYPE BROWNING FN AUTO 5 C.12	RIGHT PISTOL GRIP DROP 50 mm	CABRWAU512DXPIS50
TYPE BROWNING FN AUTO 5 C.16	RIGHT PISTOL GRIP DROP 50 mm	CABRWAU516DXPIS50
TYPE BROWNING FN AUTO 5 C.20	RIGHT PISTOL GRIP DROP 50 mm	CABRWAU520DXPIS50
TYPE BROWNING FN AUTO 5 C.12	LEFT PISTOL GRIP DROP 50 mm	CABRWAU512SXPIS50
TYPE BROWNING FN AUTO 5 C.12	RIGHT PISTOL GRIP DROP 55 mm	CABRWAU512DXPIS55
TYPE BROWNING FN AUTO 5 C.16	RIGHT PISTOL GRIP DROP 55 mm	CABRWAU516DXPIS55
TYPE BROWNING FN AUTO 5 C.20	RIGHT PISTOL GRIP DROP 55 mm	CABRWAU520DXPIS55
TYPE BROWNING FN AUTO 5 C.12	LEFT PISTOL GRIP DROP 55 mm	CABRWAU512SXPIS55
TYPE BROWNING FN AUTO 5 C.12	RIGHT PISTOL GRIP DROP 60 mm	CABRWAU512DXPIS60
TYPE BROWNING FN AUTO 5 C.16	RIGHT PISTOL GRIP DROP 60 mm	CABRWAU516DXPIS60
TYPE BROWNING FN AUTO 5 C.20	RIGHT PISTOL GRIP DROP 60 mm	CABRWAU520DXPIS60
TYPE BROWNING FN AUTO 5 C.12	LEFT PISTOL GRIP DROP 60 mm	CABRWAU512SXPIS60
TYPE BROWNING FN AUTO 5 C.12	RIGHT ENGLISH STRAIGHT DROP 50 mm	CABRWAU512DXING50
TYPE BROWNING FN AUTO 5 C.12	LEFT ENGLISH STRAIGHT DROP 50 mm	CABRWAU512SXING50
TYPE BROWNING FN AUTO 5 C.12	RIGHT ENGLISH STRAIGHT DROP 55 mm	CABRWAU512DXING55
TYPE BROWNING FN AUTO 5 C.12	LEFT ENGLISH STRAIGHT DROP 55 mm	CABRWAU512SXING55
TYPE BROWNING FN AUTO 5 C.12	RIGHT ENGLISH STRAIGHT DROP 60 mm	CABRWAU512DXING60
TYPE BROWNING FN AUTO 5 C.12	LEFT ENGLISH STRAIGHT DROP 60 mm	CABRWAU512SXING60
TYPE FRANCHI 48 AL C.12	RIGHT DROP 50 mm	CAFRA48AL12DX50
TYPE FRANCHI 48 AL C.12	LEFT DROP 50 mm	CAFRA48AL12SX50
TYPE FRANCHI 48 AL C.12	RIGHT DROP 55 mm	CAFRA48AL12DX55
TYPE FRANCHI 48 AL C.12	LEFT DROP 55 mm	CAFRA48AL12SX55
TYPE FRANCHI 48 AL C.12	RIGHT DROP 60 mm	CAFRA48AL12DX60
TYPE FRANCHI 48 AL C.12	LEFT DROP 60 mm	CAFRA48AL12SX60
TYPE FRANCHI 48 AL ANELLO C.12	RIGHT DROP 50 mm	CAFRA48ALAN12DX50
TYPE FRANCHI 48 AL ANELLO C.12	LEFT DROP 50 mm	CAFRA48ALAN12SX50
TYPE FRANCHI 48 AL ANELLO C.12	RIGHT DROP 55 mm	CAFRA48ALAN12DX55
TYPE FRANCHI 48 AL ANELLO C.12	LEFT DROP 55 mm	CAFRA48ALAN12SX55
TYPE FRANCHI 48 AL ANELLO C.12	RIGHT DROP 60 mm	CAFRA48ALAN12DX60
TYPE FRANCHI 48 AL ANELLO C.12	LEFT DROP 60 mm	CAFRA48ALAN12SX60
TYPE FRANCHI 48 AL C.20	RIGHT DROP 50 mm	CAFRA48AL20DX50
TYPE FRANCHI 48 AL C.20	LEFT DROP 50 mm	CAFRA48AL20SX50
TYPE FRANCHI 48 AL C.20	RIGHT DROP 55 mm	CAFRA48AL20DX55
TYPE FRANCHI 48 AL C.20	LEFT DROP 55 mm	CAFRA48AL20SX55
TYPE FRANCHI 48 AL C.20	RIGHT DROP 60 mm	CAFRA48AL20DX60
TYPE FRANCHI 48 AL C.20	LEFT DROP 60 mm	CAFRA48AL20SX60
TYPE FRANCHI CADET C.12	RIGHT DROP 50 mm	CAFACAD12DX50
TYPE FRANCHI CADET C.12	LEFT DROP 50 mm	CAFACAD12SX50
TYPE FRANCHI CADET C.12	RIGHT DROP 55 mm	CAFACAD12DX55

TYPE FRANCHI CADET C.12	LEFT DROP 55 mm	CAFRACAD12SX55
TYPE FRANCHI CADET C.12	RIGHT DROP 60 mm	CAFRACAD12DX60
TYPE FRANCHI CADET C.12	LEFT DROP 60 mm	CAFRACAD12SX60
TYPE FRANCHI ALCIONE C.12	RIGHT DROP 50 mm	CAFRAALC12DX50
TYPE FRANCHI ALCIONE C.12	LEFT DROP 50 mm	CAFRAALC12SX50
TYPE FRANCHI ALCIONE C.12	RIGHT DROP 55 mm	CAFRAALC12DX55
TYPE FRANCHI ALCIONE C.12	LEFT DROP 55 mm	CAFRAALC12SX55
TYPE FRANCHI ALCIONE C.12	RIGHT DROP 60 mm	CAFRAALC12DX60
TYPE FRANCHI ALCIONE C.12	LEFT DROP 60 mm	CAFRAALC12SX60
TYPE FRANCHI VARIANT C.12	RIGHT DROP 50 mm	CAFRAVAR12DX50
TYPE FRANCHI VARIANT C.12	LEFT DROP 50 mm	CAFRAVAR12SX50
TYPE FRANCHI VARIANT C.12	RIGHT DROP 55 mm	CAFRAVAR12DX55
TYPE FRANCHI VARIANT C.12	LEFT DROP 55 mm	CAFRAVAR12SX55
TYPE FRANCHI VARIANT C.12	RIGHT DROP 60 mm	CAFRAVAR12DX60
TYPE FRANCHI VARIANT C.12	LEFT DROP 60 mm	CAFRAVAR12SX60
TYPE FRANCHI BARRAGE TRAP C.12	RIGHT DROP 30 mm	CAFRAVAR12DX30
TYPE FRANCHI BARRAGE TRAP C.12	RIGHT DROP 40 mm	CAFRAVAR12DX40

## STOCK-BLANKS SEMIWORKED

		Code
TYPE BERETTA 682 C.12	RIGHT WITH HOLE AND RECEIVER	CAQBER68212DX
TYPE BERETTA 682 C.12	LEFT WITH HOLE AND RECEIVER	CAQBER68212SX
TYPE BERETTA 682 C.20	RIGHT WITH HOLE AND RECEIVER	CAQBER68220DX
TYPE BERETTA 682 C.20	LEFT WITH HOLE AND RECEIVER	CAQBER68220SX
TYPE BERETTA 686 C.12	RIGHT WITH HOLE AND RECEIVER	CAQBER68612DX
TYPE BERETTA 687 C.12	RIGHT WITH HOLE AND RECEIVER	CAQBER68712DX
TYPE BERETTA 686 C.12	LEFT WITH HOLE AND RECEIVER	CAQBER68612SX
TYPE BERETTA 687 C.12	LEFT WITH HOLE AND RECEIVER	CAQBER68712SX
TYPE BERETTA 686 C.20	RIGHT WITH HOLE AND RECEIVER	CAQBER68220DX
TYPE BERETTA 686 C.20	LEFT WITH HOLE AND RECEIVER	CAQBER68220SX
TYPE BERETTA 687 C.20	RIGHT WITH HOLE AND RECEIVER	CAQBER68220DX
TYPE BERETTA 687 C.20	LEFT WITH HOLE AND RECEIVER	CAQBER68220SX
TYPE BERETTA DT11 C.12	RIGHT WITH HOLE AND RECEIVER	CAQBERDT1112DX
TYPE BERETTA DT11 C.12	LEFT WITH HOLE AND RECEIVER	CAQBERDT1112SX
TYPE PERAZZI MX8 C.12	RIGHT WITH HOLE AND RECEIVER	CAQPERMX812DX
TYPE PERAZZI SCO C.12	RIGHT WITH HOLE AND RECEIVER	CAQPERSCA12DX
TYPE PERAZZI MX8 C.12	LEFT WITH HOLE AND RECEIVER	CAQPERMX812SX
TYPE PERAZZI SCO C.12	LEFT WITH HOLE AND RECEIVER	CAQPERSCO12SX

## FORENDS FOR AUTO AND O/U

		Code
TYPE BENELLI 121 SL 80 C.12	306 mm LONG	ASBEN12112
TYPE BENELLI 201 SL 80 C.20	257 mm LONG	ASBEN20120
TYPE BENELLI S90-RAFFAELLO C.12	306 mm LONG	ASBENS9012
TYPE BENELLI CENTRO C.12	306 mm LONG	ASBENCEN12
TYPE BENELLI CRIO C.12		ASBENCRI12
TYPE BENELLI S90-RAFFAELLO C.20	308 mm LONG	ASBENS9020
TYPE BENELLI 121 SL 80 TRAP C.12		ASBEN121TR12
TYPE BENELLI S90 TRAP C.12		ASBENS90TR12
TYPE BERETTA S 55-S 56 C.12	LEVER, 240 mm LONG	ASBERS5512LE
TYPE BERETTA S 55-S 56 C.20	LEVER, 240 mm LONG	ASBERS5520LE
TYPE BERETTA S 55-S 56 C.12	WHEEL GRIPPING, 240 mm LONG	ASBERS5512RO
TYPE BERETTA S 55-S 56 C.20	WHEEL GRIPPING, 240 mm LONG	ASBERS5520RO
TYPE BERETTA 686 C.12		ASBER68612
TYPE BERETTA 687 C.12		ASBER68712
TYPE BERETTA 682 TRAP C.12	BEAVERTAILED	ASBER682TR12
TYPE BERETTA 686 C.20		ASBER68620
TYPE BERETTA 687 C.20		ASBER68720
TYPE PERAZZI MX8 C.12		ASPERMX812
TYPE PERAZZI MAP C.12		ASPERMAP12
TYPE BERETTA 300 C.12	NO END-COVER, 307 mm LONG	ASBER30012
TYPE BERETTA 301 C.12	NO END-COVER, 307 mm LONG	ASBER30112
TYPE BERETTA 302 C.12	NO END-COVER, 307 mm LONG	ASBER30212
TYPE BERETTA 300 C.20	NO END-COVER, 290 mm LONG	ASBER30020
TYPE BERETTA 301 C.20	NO END-COVER, 290 mm LONG	ASBER30120
TYPE BERETTA 302 C.20	NO END-COVER, 290 mm LONG	ASBER30220

TYPE BERETTA 300 C.12	WITH END-COVER, 307 mm LONG	ASBER30012CA
TYPE BERETTA 301 C.12	WITH END-COVER, 307 mm LONG	ASBER30112CA
TYPE BERETTA 302 C.12	WITH END-COVER, 307 mm LONG	ASBER30212CA
TYPE BERETTA 300 C.20	WITH END-COVER, 290 mm LONG	ASBER30020CA
TYPE BERETTA 301 C.20	WITH END-COVER, 290 mm LONG	ASBER30120CA
TYPE BERETTA 302 C.20	WITH END-COVER, 290 mm LONG	ASBER30220CA
TYPE BERETTA 303 C.12	WITHOUT CUT-OFF & NO END-COVER, 307 mm LONG	ASBER30312
TYPE BERETTA 303 C.20	WITHOUT CUT-OFF & NO END-COVER, 290 mm LONG	ASBER30320
TYPE BERETTA 303 C.12	WITHOUT CUT-OFF & WITH END-COVER, 307 mm LONG	ASBER30312CA
TYPE BERETTA 303 C.20	WITHOUT CUT-OFF & WITH END-COVER, 290 mm LONG	ASBER30320CA
TYPE BERETTA 303 C.12	FOR CUT-OFF & NO END-COVER, 307 mm LONG	ASBER30312
TYPE BERETTA 303 C.12	FOR CUT-OFF & NO END-COVER, 290 mm LONG	ASBER30312CA
TYPE BERETTA 304 C.12	NO END-COVER, 296 mm LONG	ASBER30412
TYPE BERETTA 304 C.12	WITH END-COVER, 296 mm LONG	ASBER30412CA
TYPE BERETTA 390 C.12	NO END-COVER	ASBER39012
TYPE BERETTA 390 C.12	WITH END-COVER	ASBER39012CA
TYPE BERETTA 391 URIKA C.12	NO END-COVER, 325 mm LONG	ASBER39112
TYPE BERETTA 391 URIKA C.12	WITH END-COVER, 325 mm LONG	ASBER39112CA
TYPE BRED A CON PIASTRA C.12	LONG, 270 mm LONG	ASBREARG12PILU
TYPE BRED A CON PIASTRA C.12	SHORT, 250 mm LONG	ASBREARG12PICO
TYPE BRED A SENZA PIASTRA C.12	LONG, 270 mm LONG	ASBREARG12LU
TYPE BRED A SENZA PIASTRA C.12	SHORT, 250 mm LONG	ASBREARG12CO
TYPE BRED A ASTRO C.12	306 mm LONG	ASBREAST12
TYPE BRED A ALTAIR C.12	WITH END-COVER, 307 mm LONG	ASBREALT12CA
TYPE BRED A ALTAIR C.12	NO END-COVER	ASBREALT12
TYPE BRED A ALTAIR C.20	WITH END-COVER, 290 mm LONG	ASBREALT20CA
TYPE BRED A ALTAIR C.20	NO END-COVER	ASBREALT20
TYPE BROWNING AUTO 5 C.12	LONG, 280 mm LONG	ASBRWAW512LU
TYPE BROWNING AUTO 5 C.12	SHORT, 220 mm LONG	ASBRWAW512CO
TYPE BROWNING AUTO 5 C.12	MAGNUM, 280 mm LONG	ASBRWAW512MA
TYPE BROWNING AUTO 5 C.16	LONG, 270 mm LONG	ASBRWAW516LU
TYPE BROWNING AUTO 5 C.16	SHORT, 208 mm LONG	ASBRWAW516CO
TYPE BROWNING AUTO 5 C.20	LONG, 270 mm LONG	ASBRWAW520LU
TYPE BROWNING AUTO 5 C.20	SHORT, 208 mm LONG	ASBRWAW520CO
TYPE FRANCHI 48 AL C.12	280 mm LONG	ASFRA48AL12
TYPE FRANCHI 48 AL C.20	280 mm LONG	ASFRA48AL20
TYPE FRANCHI CROCE 1 C.12	ALCIONE - FALCONET - VARIANT 272 mm LONG	ASFRACR1S12
TYPE FRANCHI CROCE 2 C.12	ALCIONE - FALCONET - VARIANT 272 mm LONG	ASFRACR2S12
TYPE FRANCHI CROCE 3 C.12	ALCIONE - FALCONET - VARIANT 272 mm LONG	ASFRACR3S12
TYPE FRANCHI CROCE 4 C.12	ALCIONE - FALCONET - VARIANT 272 mm LONG	ASFRACR4S12
TYPE FRANCHI ALCIONE TRAP C.12	272 mm LONG	ASFRAALC12TR
TYPE FRANCHI VARIANT TRAP C.12	272 mm LONG	ASFRVAR12TR
ASTATIPO PERAZZI MX8 GREZZA C.12	SEMIWORKED	ASQPERMX812
TYPE PERAZZI SCO GREZZA C.12	SEMIWORKED	ASQPERSCO12
TYPE BERETTA 682 C.12		ASQBER68212
TYPE BERETTA 686 C.12		ASQBER68612
TYPE BERETTA 687 C.12		ASQBER68712
TYPE BERETTA 682 C.20		ASQBER68220
TYPE BERETTA 686 C.20		ASQBER68620
TYPE BERETTA 687 C.20		ASQBER68720

Made by standard quality walnut wood dried 16%. 100% Made in Italy.

#### ESTRATTO DELLE CONDIZIONI GENERALI DI VENDITA

1. La merce è resa franco ns. stabilimento, con imballo gratis, e viaggia per conto, rischio e pericolo del committente.
2. I termini di consegna concordati non devono intendersi tassativi e, in caso di ritardo nelle consegne, l'annullamento dell'ordine verrà accettato solamente se perverrà alla ns. sede nei 15 giorni precedenti la spedizione.
3. La mancata consegna non impegna la Casa a dover risarcire eventuali danni. Inoltre, in nessun caso un ritardo di consegna o l'annullamento dell'ordine potranno dar luogo a indennità a nostro carico. La parziale esecuzione dell'ordine non impegna la Casa al totale espletamento dello stesso.
4. I prezzi comprendono il costo del collaudo del Banco Nazionale di Prova, sono suscettibili di variazione senza preavviso e s'intendono sempre riferiti al listino prezzi vigente al momento della consegna della merce.
5. I pagamenti vanno eseguiti integralmente, salvo diversa pattuizione menzionata nell'ordine. Per nessuna ragione ed a nessun titolo può l'Acquirente differire i pagamenti oltre le scadenze pattuite. Sui pagamenti ritardati graveranno tassativamente gli interessi di mora, senza necessità di formale richiesta da parte della nostra Società.
6. Tutti i fucili fabbricati dalla Casa sono sottoposti a prova forzata presso il Banco Nazionale di Prova. La Casa declina ogni responsabilità per qualsiasi danno a persone o cose conseguente all'impiego delle armi fornite. Le misure indicate per ogni arma fornita si intendono entro i limiti delle tolleranze di fabbricazione.
7. I fucili EFFEBI sono coperti da garanzia come specificato nell'apposito certificato che accompagna i prodotti.